Tech 17 Tip

Whαt > Hegman gauge helps to identify different potential types of particles within an epoxy

Why > To identify particle characteristics when subjected to Hegman Gauge analysis



Identifying Particles in an Epoxy Adhesive Using Hegman Gauge (Grind Gauge) Analysis

For wet particle analysis, a Hegman Gauge (sometimes referred to as a grind gauge) is frequently used to determine the fineness of the grind and to analyze different types of particles within an epoxy matrix. The test involves a flat, stainless steel block with two top channels, decreasing slightly in depth from one end to the other. The channel depth begins at 100µm and decreases to zero, with a corresponding scale on either side.

A typical Hegman Gauge measures approximately 170mm long by 65mm wide, with a height of 15mm. A small amount of the adhesive (Part A, Part B or Part A + B) is placed at the end of the steel block containing the deepest channel or groove. Using a stainless steel scraper, the material is slowly drawn down while maintaining uniform pressure along the entire length of the block.



The resultant thin coating or film on the block is then visually inspected for any lumps or non-uniformites on the surface of the coating. Any visual observations can also be read using the scale along either side of the block. This scale can be read in Hegman units (dimensionless), micrometers or mils.


During a Hegman Gauge analysis, there are four main categories of particles that can be displayed:


- Uniform Fine Dispersion
- Particle Size Determination
- Crystallization
- Agglomeration



Examples of Hegman Gauge Results

The below figures display actual draw downs using Hegman Gauge analysis.





Good Results

Conclusions

A Hegman Gauge is an excellent quality assurance tool to quickly evaluate and identify particles within an epoxy. It allows for differentiating any potential problems such as: crystallization, agglomeration, as well as determining varying particle sizes.

For other useful tips, contact our Tech Service Group: techserv@epotek.com or www.epotek.com







Innovative Epoxy Adhesive Solutions for Over 45 Years™

DISCLAIMER: Data presented is provided only to be used as a guide. Properties listed are typical, average values, based on tests believed to be accurate. It is recommended that users perform a thorough evaluation for any application based on their specific requirements. Epoxy Technology makes no warranties (expressed or implied) and assumes no responsibility in connection with the use or inability to use these products.